



STEIGER® T 650 HF



EVOLUTION in the class > 60 m!
Outreach world champion: 43 m!



Extension of the performance data range
on 4 axes with < 12 m total length

PERFORMANCE DATA*



65 m working height → 2 m MORE



43 m Reichweite → 4 m MORE
World record in this class



2° inclination




Total length only 11.99 m



83° angle of elevation → 2° MORE

*depending on mounts and features





Significantly **MORE** flexibility in use
with the **highflexRÜSSEL®** (jib)



220°

True angle of the RÜSSEL®'s (jib) due to
optimized articulating telescopic basket

+ 10° MORE




2.0 m RÜSSEL®-length (jib)
therefore 6 m object flexibility



40° MORE RÜSSEL® (jib) rotation
compared to T 630



'Standing' working basket
perfect for 'under and up' as well
as all possibilities of 'up and over
and back' during lowered
RÜSSEL®





i MORE flexibility in use with the **highflex** working basket

+ **440°**
MAXIMUM BASKET ROTATION ANGLE

+ 2 x 220° working basket rotation
+ 40° MORE


+ Perfect for 'up and over and back'
to work perfectly from the rear side of objects


+ Biggest working basket available
on the market
3.82 x 0.97 m fully telescoped

+ 600 kg working basket load

+ Few interference factors under
working basket

+ All positions also reachable with
extended working basket







i Once again **the upper boom length** has been increased for even more outreach in the elevated direction

+ **21.05 m**

TOTAL HORIZONTAL RANGE OF
THE UPPER BOOM

+ still + 1.45 m more
against T 630





i still MORE **UNDERGROUND** power



+ **14.5 m**


Total underground 'working depth'

+ + 2.5 m even more than the T 630

+ Extremely dynamic as 440° basket rotation angle

+ brings the basket up to 1.2 m closer to the object than any comparable competitor's offer ('standing' working basket)





MORE chassis selection is not possible!
We meet (almost) all your wishes!

CHASSIS SELECTION POSSIBILITIES



All major brands



Drive: 8x2, 8x4, 8x6, 8x8




Standard or long driver's cabin



only exemplary illustrations of brands and chassis variants

STEIGER® T 650 HF



i Even MORE HEIGHT performance features and benefits



DIVERSE DRIVING POSITIONS FOR THE SUPPORTS

Working basket – vehicle rear (left + right) – Second control



COCKPIT (control unit in the working basket)



Component equality in comparison to other models brings SURPLUS value with




Service/maintenance



Supply of spare parts and availability






MORE possibilities with the
special features HEIGHT
performance

HERE SOME EXAMPLES:

- + Hybrid drive
- + Ambient lighting
- + Folding seat
- + Camera basket
- + Lift-up system
- + Material winch
- + Diverse heating systems in the working basket
- + hyCLEANER adaption
- + Underlay plates for supports
- + Box structures on load area
- + and much, much more!





A GREATER number of reference customers in the segment of large appliances – latest technology – cannot be found anywhere else




More than 200 HEIGHT performance-units since 2012



Guarantor for worldwide proven technology in day-to-day use






Consistent continuation of innovative HEIGHT performance-series

REVOLUTION

RUTHMANN's EVOLUTION =

Reaching product innovations by creative ideas
and experience – characterized by onward
development with
SURPLUS value

The **REVOLUTION** in the 60 m class!



Benefits Overview

- World record performance data
- 65 m working height
- 43 m outreach
- On 4-axes-chassis
- New highflexRÜSSEL® -> 220° Range of motion
- New highflex working basket -> 440° swivelling area
- Further extended upper boom
- Multi-chassis possibilities: Brands, driver's cabin variants and drive types (8x2, 8x4, 8x6 or 8x8)
- Current control and operating technology (COCKPIT)
- Comprehensive optional special features
- A great number of national and international references

STEIGER® **T 650** HF

Ruthmann GmbH & Co. KG

Von-Braun-Straße 4
48712 Gescher-Hochmoor
GERMANY

Phone: +49 2863 204-0
Fax: +49 2863 204-212

Internet: www.ruthmann.de
E-mail: export@ruthmann.de